

Pos.	Beschreibung	Spezifikationen	Packung
Pos.	Descrizione	specifiche	confezione
1	Quantitative filter paper	<p>grade 540 150 mm hardened ashless quantitative filter papers are acid-hardened to give high wet strength and chemical resistance with extremely low ash content. They are suitable for a wide range of critical filtration procedures.</p> <p>High-purity, acid-treated cellulose lab filter paper Mechanically strong Well suited for quantitative or gravimetric analysis of strongly acidic or alkaline samples Extremely low ash content (0.006% ash maximum) Nominal particle retention of 8 µm Medium flow rate (Herzberg filtration speed 200 s)</p>	100 st/pz
2	Glowes nitril S.	<p>Knurled fingers ,Powder free, latex free, non sterile; EN 374-1; EN374-2 Level 3 (AQL 0.65) Personal Protective Equipment of Complex Design Category III, in compliance with 89/686/EEC, type tested to EN 420:2003+A1:2009, EN 374-2:2003, EN 374-3:2003 .CE 0086 AQL 0.65 Lunghezza >290 mm</p>	100 st/pz
3	Glowes nitril M	<p>Knurled fingers, Powder free, latex free, non sterile; EN 374-1; EN374-2 Level 3 (AQL 0.65)Personal Protective Equipment of Complex Design Category III, in compliance with 89/686/EEC, type tested to EN 420:2003+A1:2009, EN 374-2:2003, EN 374-3:2003 .CE 0086AQL 0.65Lunghezza >290 mm</p>	100 st/pz
4	aluminum ring nut	diam 20mm full butyl tear septum for vials	960 st/pz

5	Glowes nitril L.	<p>Knurled fingers, Powder free, latex free, non sterile; EN 374-1; EN374-2 Level 3 (AQL 0.65) Personal Protective Equipment of Complex Design Category III, in compliance with 89/686/EEC, type tested to EN 420:2003+A1:2009, EN 374-2:2003, EN 374-3:2003 .CE 0086 AQL 0.65 Lunghezza >290 mm</p>	100 st/pz
6	filter paper	<p>plated Grade 619 G ¼ diametro mm.150, Slow, phosphate-free filter paper for soil analysis. Typical measurements: orthophosphate: <0.005 mg/L (DIN EN ISO 6878); Total nitrogen bounded: <0.5 mg/L (DIN EN 12260); Calcium: <0.5 mg/L (EN ISO 11885); Magnesium: <0.5 mg/L (EN ISO 11885).</p>	100 st/pz
7	Plastic extraction bags	compatible with Bioreba	5000 st/pz
8	Glowes nitril XL	<p>Knurled fingers, Powder free, latex free, non sterile; EN 374-1; EN374-2 Level 3 (AQL 0.65) Personal Protective Equipment of Complex Design Category III, in compliance with 89/686/EEC, type tested to EN 420:2003+A1:2009, EN 374-2:2003, EN 374-3:2003 .CE 0086 AQL 0.65 Lunghezza >290 mm</p>	100 st/pz

9	Biol. Risk waste disposal bags	autoclavable at 135 ° C	250 st/pz
10	Glass bottle	250ml, autoclavable up to 140 ° C with screw cap and GL45 thread, drip ring, with traceability code	1 st/pz
11	Storage box	in polypropylene with transparent lid for 16 test tubes of 50 ml, with reference alphanumeric grid, autoclavable, Blue	2 st/pz
12	Special detergent	neodisher® LaboClean UW	10 kg
13	Adhesive seals	for thermal cycling in thin-wall PCR plates for use with real-time PCR	100 st/pz
14	Kohlrausch flask	borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	1 st/pz
15	Sterile L-shaped spatulas		

16	CYLINDER	100 ML BOROSILICATE GLASS WITH REMOVABLE HEXAGONAL BASE IN PP AND CAP IN PE NS 24/29 borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	1 st/pz
17	filter paper plated Grade 619	G ¼ diametro mm.320, Slow, phosphate-free filter paper for soil analysis. Typical measurements: orthophosphate: <0.005 mg/L (DIN EN ISO 6878); Total nitrogen bounded: <0.5 mg/L (DIN EN 12260); Calcium: <0.5 mg/L (EN ISO 11885); Magnesium: <0.5 mg/L (EN ISO 11885).	100 st/pz
18	Gram staining tray		
19	volumetric flasks	class A, blue markings, 1000 ml, borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	2 st/pz

20	BEAKER GRADUATED LOW	FORM 1000 ML, borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	10 st/pz
21	ERLENMEYER GLASS 3000ml	narrow neck, graduated, flared edge with traceability code, borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	1 st/pz
22	CARTA WYPALL L30	24X38CM/ BLU ROLL	100 st/PZ
23	storage boxes	autoclavable, in PP, for 100 1.5 ml tubes	1 st/pz
24	Adhesive Film	for storage of 96 well plates	100 st/pz
25	Aluminum film	in roll with dispenser, thickness 0,030mm, width 300mm, length 100m	
26	homogenization bags	5 ml	50 st/pz
27	Multi-purpose spatula	18/10 steel, with rounded part provided with grooves, length 180mm	
28	BEAKER GRADUATED LOW	FORM 600ML, borosilicate glass 3.3 (DIN ISO 3585 and ASTM E438 Type I)	10 st/pz
29	disposal bags	atuoclavable	100 st/pz
30	Deo	for autoclave	
31	pocket lenses		1 st/pz
32	Chemical absorbent cloths		

33	Desiccant- Anhydrous drierite		2000 g
34	Caps	compatible for Vials GC	100 st/pz
35	Plugs with holes	compatible for Vials HPLC, Septum PTFE / silicone	100 st/pz
36	Glass marbles	diameter 5 mm	500 st/pz
37	Spatula with micro spoon	stainless steel, length 180mm	
38	cryo storage boxes	cryoresistant 136x136x130 cardboard with plastic coating with lid, 15 e 50 ml tube ml tubes	
39	Protective masks	for fine dust, with valve, FFP2 protection level, FFPP2	
40	Protective masks	for fine dust, with valve, FFP3 protection level, FFPP3	
41	Plastic funnels	with long shank (Ø 66mm, stem dimensions Ø 10mm, length 62mm)	
42	Glowes nitril S	textured fingertips ,Powder free, latex free, non sterile; EN 420, EN ISO 374-1, EN 374-2, EN 16523-1, EN 374-4, EN ISO 374-5, EN 455 1-4; ASTM D6319, ASTM F1671; MDD Class 1; PPE Cat. III AQL 0.65; Cuff thickness 0,10 mm*; Finger thickness 0,14 mm*; Palm thickness 0,12 mm*; length 240 mm	200 st/pz
43	CARTA WYPALL L30	37X38CM	1000 st/PZ = 1 Rotolo
44	Bags, biohazard	Capacity 2L; Material HDPE, 280 x 220 mm	100 st/pz
45	DNA Clean-Up,	Gel Extraction Kit, peqGOLD	5 st/pz
46	Compact spigot, PP	Inflowing side: 3/4" inner thread cap nut	1 st/pz
47	Carboys, wide neck	with screw cap; Capacity 5L; Neck I-Ø, 130x290x280 mm; With threaded connector 3/4" for spigot	1 st/pz
48	Three-way stopcock	Nalgene®; Hole Ø 4mm, For tube I-Ø 6,4 - 9,5 mm	1 st/pz

49	Pouring rings for laboratory bottles	Thread GL45, Colour blue, Material PP; DURAN	10 st/pz
50	Packaging bags with closure	Capacity 300 ml; Thickness 0,05, 100x150mm	100 st/pz
51	Packaging bags with closure	Capacity 1500 ml; Thickness 0,05, 180x250mm	100 st/pz
52	Packaging bags with closure	Capacity 2500 ml; Thickness 0,05, 200x300mm	100 st/pz
53	HiFi DNA Polymerase 2X Master Mix	10x1,25 ml	1 KIT
54	E.Z.N.A.® Cycle-Pure Kit (V-Spin column)	Sample type PCR reaction, Sample size Variable, 200 Tests, 25 µg	1 KIT
55	WIPER WYPALL L20	7334 SMALL BLUE 2PL	24 St/pz
56	Detergente in polvere per la lavavetreria,	neodisher® LaboClean A8	10 KG
57	Blotting papers for semi-dry blotters	Sheets, 210 x 260 mm	25 st/pz
58	Delicate task wipes	Light-duty wipes Low lint absorbency for delicate applications and surfaces Chemically inert and anti-static Supplied in a hygienic, user friendly pop-up box for clean and fast dispensing, even while on the move; 205x200 mm	2.400 st/PZ